

Tincture Inhaler Blueberry - CBD (200 servings; 5mg per puff)

Sample ID: 1912BSD1287.3588

Produced:

Client

Strain: Tincture Inhaler Blueberry - CBD

Collected: 12/02/2019

Thriftmaster Global Holdings

Matrix: Concentrates & Extracts

Received: 12/02/2019

Lic. #

Type: Other

Completed: 01/10/2020

5600 W Lovers Lane St 116

Sample Size: 1 units; Batch: 1 units

Batch#: B2019226

Dallas, CA 75209



Summary

Test	Date Tested	Result
Batch	12/03/2019	Complete
Cannabinoids		Complete

Cannabinoids by HPLC-UV

Complete

ND	44.62%	44.62%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	LOD	Result	Result
	%	%	%	mg/g
THCa	0.00025	0.0001	ND	ND
Δ9-THC	0.00025	0.0001	ND	ND
Δ8-THC	0.00025	0.0001	ND	ND
THCV	0.00025	0.0001	ND	ND
CBDa	0.00025	0.0001	ND	ND
CBD	0.00025	0.0001	44.62	446.2
CBDV	0.00025	0.0001	ND	ND
CBN	0.00025	0.0001	ND	ND
CBGa	0.00025	0.0001	ND	ND
CBG	0.00025	0.0001	ND	ND
CBC	0.00025	0.0001	ND	ND
Total THC			ND	ND
Total CBD			44.62	446.2
Total			44.62	446.2

LOQ is set to .3%

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation, LOD = Limit of Detection, NR = Not Reported, NT = Not Tested, ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

ND means not detected by the level of detection <0.00%.

Not Tested	NT	Not Tested
Moisture Content by Moisture Analyzer	Not Tested Water Activity by Hygrometer	Foreign Matter by Magnifying Glass



ISO 17025:2017 Accredited



 Dat Pham
 Lab Manager
 01/10/2020

 Confident Cannabis
 All Rights Reserved
support@confidentcannabis.com
 (866) 506-5866
www.confidentcannabis.com


All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.